

INSTALLATION INSTRUCTIONS

459-1920 / Winch Mount for use with YAMAHA® KODIAK®

Thank you for purchasing an Open Trail® Winch Mount. Before you begin installation of the Winch Mount, verify that all parts are included in the box and read all instructions. If you have any questions regarding the installation of the Winch Mount or if you are missing any parts, contact us at opentrailusa.com/contact-us.


The Open Trail® Winch Mount is designed to fit a specific model ATV/UTV under stock conditions. If your ATV/UTV has already been altered or modified by aftermarket products or custom fabrications, then the products may not work together, and installation of this product is not advised.

⚠ WARNING: RISK OF SEVERE INJURY OR DEATH

- Read and understand all precautions, warnings and instruction manuals for each winch system component prior to operating
- When working on or under a vehicle always ensure the vehicle is in park, has wheels chocked, is on level ground and is secure
- Wear safety glasses, gloves, closed-toed shoes and other proper PPE when installing and/or using the winch system
- When lifting components into place, always use appropriate and adequate care
- Check that all hardware is tightened securely during installation and operation
- Use extreme caution when cutting, drilling or trimming during fitting
- Disconnect the battery while working on the vehicle
- Do not route electrical cables across any sharp edges, through or near moving parts, or near any parts that may become hot
- Insulate and protect all exposed wiring and electrical terminals
- Always be aware of your surroundings while operating a winch
- Keep clear of any moving components
- When winch is in operation, bystanders should maintain a safe distance
- Do not operate with worn, damaged or missing parts

WHAT'S IN THE BOX

Component	QTY
A Winch Mount	1
B Spacer Bracket	1
C Bolt – M8	4
D Bolt – M6	2
E Lock Nut – M8	2
F Lock Nut – M6	2
G Flat Washer – M8	2
H Flat Washer – M6	2



INSTALLATION

1. Remove four front skid plate bolts (1). See figure 1.
2. Remove two top bolts (2) and four headlight bezel plastic rivets (3) as shown in figures 2 and 3.
3. Remove front bumper by removing four bolts (3) and (4). See figure 4.
Note: Parts and hardware removed in steps 1–3 will be reused.
4. Install your fairlead to winch mount (A) with the hardware that came with your winch. See figure 5.
5. Place winch mount (A) on front bumper as shown in figure 6. Check your winch will fit with clearance from the bumper. If more clearance is needed, use spacer bracket (B) under the winch.




Figure 1.




Figure 2.




Figure 3.




Figure 4.

IMPORTANT: Check the winch power connections are not near the bumper; rotate the winch motor as needed for clearance to prevent shorting. See your winch manual for instructions on how to clock the motor. See figure 7 on the following page.




Figure 5.




Figure 6.

6. Install your winch, winch mount (A) and, if needed, spacer bracket (B) with bolts (C) as shown in figures 8 and 9.

Note: 2-hole winches use nuts (E) and washers (G) as needed. See your winch manual.

7. Install your contactor with bolts (D), washers (H) and nuts (F). See figure 9.
 8. Partially install your bumper back onto the machine with bolts (4) removed in step 3. Let bumper hang and make wire connections as outlined in your winch manual.
 9. Finish bumper installation by rotating the bumper into place and reattaching with remaining hardware removed in steps 1–3.
10. Tighten all hardware.




Figure 7.




Figure 8. Winch hole configurations

WIRING INFORMATION

Wiring Instruction: Follow your winch manual for instruction on how to wire your winch.

Battery Information: Wires are pre-run from the battery area to the winch area for contactor power.

Accessory Power For Switches and Other Controls: is the pink wire of the factory wire harness connector located inside the headlight cover.

LIMITED WARRANTY

Open Trail guarantees the original purchaser that the product shall be devoid of any defects in materials and workmanship for a duration of two (2) years, commencing from the date of initial purchase by the retail customer. This warranty is not transferable and only covers the Open Trail® component.

It is important to note that this warranty is subject to certain limitations and exclusions, which include the following:




Figure 9.

- **Commercial Use:** The warranty period for any product utilized for commercial or rental purposes is restricted to a duration of ninety (90) days, commencing from the date of the original purchase.
- **Limitations:** This warranty is applicable solely to products that have been correctly assembled, adjusted, and operated in accordance with the instructions provided in this manual. Furthermore, this warranty does not extend to any product of Open Trail that has undergone alteration, misuse, abuse, improper assembly or installation, or sustained damage during shipping.
- **Exclusions:** This warranty does not cover normal wear, regular adjustments, or routine maintenance.

Open Trail will provide a replacement part one time only. The replacement part will not be warranted.

This warranty does not extend to cover any incidental or consequential damages (labor charges, loss of time, loss of use or damage to ATV/UTV), and any implied warranties are constrained to the same time periods as stated herein for all explicit warranties.

The warranty stated above is the sole and exclusive warranty. There are no other warranties, expressed or implied, including but not limited to implied warranties of merchantability or fitness for a particular purpose.

Please be aware that in certain states, the exclusion of implied warranties or the exclusion or limitation of liability for incidental or consequential damages, as well as limitations on how long an implied warranty lasts, may not be applicable to you. Consequently, the above limitation or exclusion might not apply to your specific situation. This warranty provides you with

specific legal rights, and you may also possess other rights that vary from state to state. It is important to understand and be aware of your individual rights as per the laws of your state.

If you have a claim under this warranty, contact your dealer or reach out to Open Trail through the website at **opentrailusa.com/contact-us**. They will assist you in troubleshooting any issues via phone or e-mail.

To ensure proper coverage, always seek authorization from Open Trail before proceeding with any repairs or replacements.

All transportation charges, damages or losses incurred during the transportation of parts submitted for replacement or repair under this warranty are the responsibility of the purchaser. If you have any inquiries or concerns regarding this warranty, please don't hesitate to contact us at **opentrailusa.com/contact-us**.